

## Acacia rupicola Rock Wattle









(Cox, G, iNaturalist Australia)

(Fagg, M, Australian Plant Image Index)

(Cox, G, iNaturalist Australia)

(SA Butterflies & Moths)

**Form:** *Medium shrub* **Height:** 1-2 *m* 

**Spread:**  $1 - 1.5 \, m$ 

Flowers: Cream Type: G

Type: Globular

Flowering time: Spring, Summer

**Ecological functions:** 7



Soils: rock, sand, clay or loam; alkaline or neutral

**Seed collecting:** collect mature pods that are turning brown, with hard, dark seeds inside.

**Seed treatment:** place seed into a container and pour on water that has just been boiled. Soak overnight. Remove and sow immediately.

**Sowing requirements:** cover seed to its own depth with damp soil and firm gently. Then cover with a layer of gravel. Requires well-drained soils. Sow in late Spring-Summer.

**Position:** full sun

Supplementary watering: minimal

**Germination rate:** 4 to 6 weeks

**Uses:** commonly used for understorey in dry shady situations or rocky areas. Suitable for highway verges, batters, wide median strips, parks and reserves. Food host to Two-spotted Line-blue butterfly (*Nacaduba biocellata biocellata*) caterpillars.

**Notes:** not recommended to plant closer than 2 m to any sewer main or connection.

Sources: Botanical Gardens of South Australia; Seeds of South Australia; TreeProject, Trees For Life Tree Scheme: Grower's Handbook'; Atlas of Living Australia