

Cullen australasicum

Scurf Pea







Adult Chequered Swallowtail

(Seeds of South Australia)

(Whittaker, D, iNaturalist Australia)

(Hunt, L, SA Butterflies & Moths)

Type: Pea

Form: Low shrub **Height:** 0.5 - 1.5 m

Spread: 0.5 – 1.5 m **Flowers:** Pink, Purple

Flowering time: Spring

Germination rate: 3 to 6 weeks

Ecological functions: $\sqrt{\ \ }$



Seed collecting: collect maturing pods, those

that are fat, turning black and contain a brown

seed inside, by running your hands along the

fruit-spikes. Place pods in a tray and leave to

dry for 1 to 2 weeks or until the pods begin to

split. Then rub the dried pods to dislodge the

Soils: sand, clay or loam; acidic, alkaline or neutral

Sowing requirements: cover with 2 mm of damp soil and firm gently. Then cover with a layer of gravel. Sow in late Summer.

Position: full sun

Supplementary watering: minimal

Uses: planted in native landscaping, parks and reserves in rocky sites for its fast growing perennial nature. Important food source for the caterpillars of migratory Swallowtail butterflies (family Papilionidae), Long-tailed Pea-blue (Lampides boeticus) and Common Grass-blue (Zizina otis labradus).

Seed treatment: none