

## Pimelea glauca Smooth Riceflower









Adult Rayed Blue

(Best, R, NatureShare)

Form: Low shrub Height: 0.2

**Height:** 0.2 - 1 m **Spread:** 0.3 - 1.5 m

(Seeds of South Australia)

Flowers: White, Cream Type: Tubular

(Cox, G, iNaturalist Australia)

Flowering time: Summer, Winter

**Ecological functions:** 







Soils: sand, loam or rock; acidic, alkaline or neutral

Germination rate: 4 to 12 weeks

**Seed collecting:** when mature, cut off flower heads. This is usually 2 months after flowering. Flowers will be drying and withering away. Place in wire sieve to remove skin froom seed.

**Seed treatment:** none

**Sowing requirements:** sow fresh seeds into sandy propagating soil. Cover lightly with fine gravel. Place out in open area and keep moist Seed can take several months to germinate. Sow from Autumn.

**Position:** full sun, part shade.

Supplementary watering: minimal

**Uses:** good for rockeries, borders, verges, median streets, parks and reserves. Planted singly as an ornamental in mixed plantings or en-mass as a low barrier or informal hedge. Butterfly attracting. Food host to Rayed Blue (*Candalides heathi heathi*) caterpillars.

Note: responds well to heavy pruning.